

## TESTIMONY OF RAY L. HAUSER

74.TESTIFY.RLH

July 10, 2008

<u>Year</u>	<u>Date</u>	<u>Project#, Client and Caption</u>	<u>Topic</u>	<u>Depo or Trial</u>
1990	12-4	L81018, Barrett; Sacramento Cty CA Case 353984	Fiberglass tank failure	D
	9-17	L81018, Barrett; ditto	ditto	T
	6-21	L00593, Holland; Renaud v. MMC	Chemical contamination of water	D
	6-19	L Fowler, re Horizon glass	Opaque film	D
	5-14	L90450, Williams Garfield CO Civ 88CV9	Heat Exchanger failure, corrosion	D
	2-22	L70206, Young; Maui v. United Aircraft	Fiberglass pipe failures	D
	1-16	L91098, Malibu Pools v. Insl-X	Paint formulation and failures	D
1991	10-26	L22288, Moffett; Idaho Dist Ct, Civ 90-0439S	Seat belt breakage	D
	10-23	L10088, Michaud; Sedgwick Cty KS civil 90C255	L-tryptophan injury	D
	9-17	L81138, Melat; El Paso Cty 89CV3804 div 10	Ski boot buckle failure	D
	8-7	L81138, Melat; El Paso Cty 89CV3804 div 10	Ski boot buckle failure	D
	7-23	L10628, Merritt; US Dist Ft.Smith Ark Hembree v Detector	Safety of paint spray booth, explosion	T
	5-20	L10239, Garrett; East OK Dist, Graham vs Kelly-Moore	Paint solvent flammability	D
	2-22	L Boyd; Houston	Fiberglass Pipe Leakage	D
	2-6	L Parcel; Denver	Fuels in soil at Stapleton Airport	D

<u>Year</u>	<u>Date</u>	<u>Project#, Client and Caption</u>	<u>Topic</u>	<u>Depo or Trial</u>
1991	12-19	L11636, Gilbert; Davis v. Greenwood	Flammability of crude oil	D
	12-11	L11143, Epstein; Bldr cty 90-CV-957 div 2	Chemical burn from hot teflon	T
	1-14	L11468, Wilcox; Yuma Cty 90CV16	Fire, insurance claim	D
1992	11-4	L21222, Epstein; Den Cty 92-CV-1159 court 4	Plastic hook on luggage carrier	D
	9-1	L00113, Hessler/Ruh; Countertops IM v Borden	Contact Adhesive failure	D
	4-24	L20310, Epstein; Den Cty 91-CV-2928 court 2	Chemicals in foamed glass insulation	D
	4-17	L10532, Holland; Idaho 4 Jud Dist case 92652	Oil preservative for wood	T
	2-24	L10988, Williams; Dallas Dist Ct cause 90-02488-L	Inhalation injury, paint solvents	D
	2-6	L90268, Morrisard; Civ-90-684-TUC WDB	Respirator, inhalation injury	D
	1-14	L11468, Wilcox; Yuma Cty 90CV16	Fire, insurance claim	T
1993	11-8	L920959, McDermott; Arap Cty 92-CV-2003	Plastic catheter breakage	D
	10-29	L21501, Brewer; East.Dist.MO, 91-0194-C-6	Adhesive failure, building panels	D
	9-23	L31093, Jones; Ransom v Camcraft, New Orleans,div K 85-18331, paint vapor explosion		D
	8-23	L30669, Ponderosa; Jeff Cty 92-CV-2415	Flammable solvent, fire	D
	6-15	L30611, French; Bldr Cty 91 CV 639	Safety of pasta maker	D
	3-30	L81138, Melat; El Paso Cty 89CV3804 div 10Ski boot buckle failure		D

dates and events prior to December 1993 were reconstructed from calendars and from project files, may not be complete

<u>Year</u>	<u>Date</u>	<u>Project#, Client and Caption</u>	<u>Topic</u>	<u>Depo or Trial</u>
1994	1-18	L31474, Russo; LA West Dist CV92-0360 sect L-O	Wood preservative P-9 oil	D
	3-24	L30046, Lozow; Arap Cty. Dist 93-CR-551	Trailer hitch hookup safety	T
	4-5	L40114, Hirst; USDC WYO Civ 93-CV-277J	Fire accident, Coker gas oil loading	D
	6-20	L31730, Hanson; USDC Iowa 494-CV-80130	Fire accident, acetone adhesive remover	D
	10-27	L41188, Parcel; Douglas Cty. Dist 92-CV-565 Div 1	Leaking underground gasoline tank	T
	11-22	L40527, Sellar; USDC NJ CA91-3267 (WGB)	Faded coatings on leather upholstery	D
	12-13	L41815, Sundahl; USDC Wyo First Jud Docket 137 #29	Halogen headlamp in vehicle accident	D
1995	7-28	L50097, Chrisman; Newmont v. CIR/CO, CA 94-M-2738	Tank liner/adhesive disbond	D
	8-24	L51170, Sashco; DAP v. Sashco, C-3-92-407, Dayton OH	Sealants	D
	12-12	L51670, Fernandez; 94-11555-F, Dallas TX	Contact Adhesive	D
1996	1-29	L52010, Miller; S.Dakota v.Baker, Winner SD	Alleged arson, propane	T
	5-1	L51873, Morrisard; Kruse v SoPac 94-B-2027, Denver CO	Chemical safety, alkaline mists	D
	7-18	L51908, Lapin; Cowan v. Borgstrom, 95CV68-2, Boulder CO	Trailer hitch release	D
	8-7	L51908, Lapin; Cowan v. Borgstrom, 95CV68-2, Boulder CO	ditto	T
	8-20	L50281, Brewer; Hines v. Liberty Mutual 4:94CV1424(DEJ) Houston	Adhesive disbonding	D
	11-20	M70082, Worrell; Wilson v. McCleary & CH, 95CV842, Denver Dist	Medical implant	D
	12-3	M70082, Worrell; Wilson v. Childrens Hospital, 95CV842, Denver	ditto	T
	12-10	C70097, Woodworkers; Wirth v. Woodworkers, 95CV1442, Arapahoe Cty	Lacquer failure	D
	12-13	L60160, Long; Schultz v. Payless, 95CV2195, Denver	Lacquer fire	D

<u>Year</u>	<u>Date</u>	<u>Project#, Client and Caption</u>	<u>Topic</u>	<u>Depo or Trial</u>
1997	1-23	M70025, Long; DiDomenico v. Classic Fuels, Boulder, 95CV1122	Fire, burn injury	D
	2-12	L40527, Sellar; Delta Tanning v. Smidt Chemical, USDC CA#91-3467	Coating on leather	T
	4-24	L51836, Gruel; Custer v. Rossignol, Kent Cty MI 96-03590-NP	Ski failure	D
	5-13	M70161, Descher; Classic Woodworking v. Wilsonart, St. Louis MO 679150 div 17	Adhesive failure	D
	5-20	M70201, Burg; State Farm v. Bauer's Electric, Boulder, 96CV434 div 2	Plastics in fire	D
	6-11	M70201, Burg; State Farm v. Bauer's Electric, Boulder 96CV434 div 2	ditto	T
	12-17	M80147, Howrey; IMPRA v. Boston Sci., Cty of Maricopa AZ C-96-02200	ePTFE trade secrets	D
1998	4-15	M80070, Goodman; Goodyer v. Chiles-Heatway, N. Dist. Ohio 5:97 CV0335	Hose/heating systems	D
	7-9	911547, Bradbury; Wainwright Alik School v Western Insulfoam M70035 & E90181, Mathews;	Foam insulation	D
	11-23	E90023, Walberg; Herdrich & Bryony v. Heatway & Goodyear Eagle County CO, 96 CV 467	Hydronic hose	D
1999	1-25	E90628, Hunter, Hunter-Douglas v. Comfortex, NY 98-CV-0479	Bonded assembly patent, window blinds	D
	5-3	E90848, Mazur, Zarzicki v. Findley, Wayne Cty MI 97 713 353 NO	Explosion, solvents	D
	9-20	E90928, Campbell; Mariah Boats v. AOC, et al Southern Dist. E. St. Louis IL #97-4006-DRH	Fiberglass composite	D
	10-13	E90624, Ulmer, Goodyear v. Chiles-Heatway, N. Dist. Ohio 5:97 CV0335	Hose/heating systems	D
	10-27	E90433, Struckmeyer, Hartford Ins. V. Floors Unlimited, Superior Court, Maricopa Cty AZ, NO CV 97-20426	Ignition of sanded coating	D

<u>Year</u>	<u>Date</u>	<u>Project#, Client and Caption</u>	<u>Topic</u>	<u>Depo or Trial</u>
2000	Jan 10	M00263, Molina v. Hilti & Twin Mountain La Plata Cty CO Civil Action No. 98-CV0181	Polyester adhesive, concrete anchor	D
	Jan 18-19	E90624, Ulmer, Goodyear v. Chiles-Heatway, N.Dist. Ohio 5:97 CV0335	Hose/heating systems	T
	Feb 3-4	E90540, Griffin & Goulka, Cont. Insurance v. Scherer Bristol MA Superior Ct, CA No. A96-00655	Flammability of fingernail polish remover	T
	March 30	M00440, Lathrop & Gage, Fried v BrassCraft et al Jackson Cty MO 99CV2324 Div 8	Plastic faucet nut	D
	April 20	000306, Alleguez, Fireman's Fund v Whirlpool et al Los Angeles Super Ct, Central District, Case BC 208825	Washing machine hose burst	D
	May 11	000306, BC208825, 402 hearing on motion <i>in limine</i> to prevent court testimony of Ray L. Hauser	ditto	T
	May 15-16	000306, Los Angeles Superior Ct. case BC208825	ditto	T
	Aug. 31-Sep 1	M00263, Molina v. Hilti & Twin Mountain La Plata Cty CO Civil Action No. 98-CV0181	Polyester adhesive, concrete anchor	T
	Oct 31	M00230, Moore NA Inc. v Poser Business Forms US Dist. Court, District of Delaware, C.A. 97-712 (SLR)	Adhesive patent	D
2001	Jun 7	010213, Cosco Fire Protection v Noble Co. US Dist Ct. West. Washington, Seattle C00-0226Z.	Epoxy adhesive/copper bond	D
	Oct 18	010418, Gamma-10 Plastics v. Solvay Polymers Inc Minneapolis AAA #65 181 00192 00	Alleged trade secrets misuse medical-grade polypropylene	T
	Dec 11,12	010717, 3M v. American Covers, et al International Trace Commission, Inv. No. 337-TA-456	Alleged patent infringement, gels, wrist rests	D

<u>Year</u>	<u>Date</u>	<u>Project#, Client and Caption</u>	<u>Topic</u>	<u>Depo or Trial</u>
2002	Jan 17-18	010717, 3M v. American Covers, et al International Trade Commission, Inv. No. 337-TA-456	Alleged patent infringement, gels, wrist rests	T
	June 2	M00078, Highline Village Assoc v Hersh Companies Arap Cty CO District Ct, 96 CV 2443 Div 3	Alleged improper paint application	D
	Nov 15	021119, Bettner v Chemcraft Intl, Marion Cty FL 5 <sup>th</sup> Judicial Circuit Ct, 01 974 CA	Alleged toxic coating formulation acrylic monomers with low PEL	D
	Dec 3	021119, Bettner v Chemcraft Intl, Marion Cty FL 5 <sup>th</sup> Judicial Circuit Ct, 01 974 CA	Alleged toxic coating formulation acrylic monomers with low PEL	T
2003	Jan 10	010606, Brossard v. General Motors Corp Circuit Ct. Dardanelle Dist. Yell Cty AR, No. CV95064	Alleged contaminated brake fluid damaged brake seals in new truck	D
	Feb 28	021212, Dulce Independent Schools v. TRC et al Arbitration, Santa Fe NM	Alleged defective paint applied to stucco of school buildings	D
	July 23	010417, Chavez v Quintero et al case No. 99-25047 Miami FL	Alleged injury from skin contact and inhalation of MDI from a urethane foam adhesive	D
	Aug 21	030207, Veazie v. Gates Rubber Co et al US Dist. Ct. Florida, Case No. 01-140-84-civ-	Alleged infringement of patent for non-skipping windshield wiper blade	D
	Nov 10	010606, Brossard v. General Motors Corp Circuit Ct. Dardanelle Dist. Yell Cty AR, No. CV95064	Alleged contaminated brake fluid damaged brake seals in new truck	D
2004	Jan 22	030207, Veazie v. Gates Rubber Co. et al US Dist Ct. Florida, Case No. 01-140-84-civ	Alleged infringement of patent for non-skipping windshield wiper blade	D
	May 26	040223, Fahy v. Fluidmaster, Inc., Maricopa Cty. AZ. CV2003-017671	Alleged defects in polyacetal toilet fill valve, history	D
2005	Jan 6	030205, Sandstone Products v Scott Bader 127 <sup>th</sup> Judicial District, Harris Cty TX, 2002-27864	Alleged defects in latex used for roof coatings	D
	June 20	031028, Brossard v. General Motors Corp Circuit Ct. Dardanelle Dist. Yell Cty AR, No. CV95064	Alleged contaminated brake fluid damaged brake seals in new truck	D

<u>Year</u>	<u>Date</u>	<u>Project#, Client and Caption</u>	<u>Topic</u>	<u>Depo or Trial</u>
2005	Sept 13	030205, Sandstone Products v Scott Bader 127 <sup>th</sup> Judicial District, Harris Cty TX, 2002-27864	Alleged defects in latex used for roof coatings	T
	Dec 13	050228, Hertz v. Luzenac America Arapahoe Cty Dist.Ct. 04CV944 and US Dist. Ct. CA #04-B-1961 (CBS)	Alleged defamation and alleged theft of trade secrets	D
2006	Jan 31	051005, Jain v. Moen, Inc. Broward Cty FL 17 <sup>th</sup> Judicial Circuit Case No. 02-19396 (04)	Alleged defects in toilet fill valve	T
2007	Jan 24	060321, Dougherty v. Home Depot, U.S. District Court, Civil Action No. 1:05-cv-02337-WDM-MJW	Alleged personal injury in bathroom at store	D
	August 24	060302, Calcaterra v. Roberts Consolidated, Home Depot, et al, U.S. District Ct. Eastern District of Missouri, Eastern Division, Case #4:06-CV-1050CAS	Alleged extremely flammable, carpet pad adhesive, fire and death	D
2008	April 3	060726, Renaissance Condos Assoc v. Renaissance Estates, et al, NJ Superior Ct. Monmouth Cty, Case MON-L-1152-05	CPVC pipe contaminated with glycols	D